Iron Poisoning & Copper Deficiency

Iron Poisoning & Copper Deficiency
Iron is NOT a nutrient, it is a poison. Iron replaces copper in the blood and tissue proteins, accumulating in multiple locations of the body, causing destruction, accelerating aging & death. All symptoms, disease & conditions are indications of iron poisoning & bio-available copper deficiency in the iron poisoned population. Symptoms, disease and conditions correlate to the locations of greater proportions of iron deposits and the effect on organs: CANCER, DEMENTIA, HEART/CARDIOVASCULAR DISEASE, DIABETES, LUNG DISEASE (C.O.P.D.), GASTRO-INTESTINAL DISEASE, BLOOD DISORDERS, EYE DISEASE; to mention a few of the major problem areas. Bio-available copper must be replenished to mobilize iron out of the body and repair the DNA damage, restoring health and longevity.
April 2016: population set to decrease by tens of millions (deaths) in 2016 in United States **The abomination that causes desolation (depopulation) spoken of through the prophet Daniel;** **The number of the mounted troops is 200 million: Population Countdown**
Blood Types & Disease, Symptoms, Conditions Indicate Iron Poisoning: Nearly 95% of the population, who have alkaline blood type A and O and the acidic blood type B, have iron poisoning and copper deficiency. Iron has accumulated due to iron, iron uptake facilitators and copper depleters that have been added to the food and water supply. (USDA Food Supply Nutrient (1909-2005) Schedules) Blood type distribution correlates to iron poisoning prevalence in a population: types A, B & O over A, B & O plus AB (AB is not poisoned, 7.00 neutral pH.) Iron poisoned blood types are alkaline or acidic; dependent on the proportion and locations of iron deposits and the affects on organs & their functions. The majority of the population are alkaline blood type A & O and correlate to the most prevalent pH of 7.40 (now 7.54 +), acidic blood type B correlates to pH of about 6.8. In addition to iron are radiation and vaccine poisons. Radiation shakes or vibrates blood proteins, breaking off the loosely bound iron and accelerating iron deposition. **Vaccines** contain nano-particle size parasites, termed "viruses" that thrive and replicate in the presence of iron deposits, and adjuvant to deplete copper status. Genetically damaged (GMO foods) increase iron availability and decrease copper availability. These chemical, biological and radiation poisons work together to decrease lifespan and birth rate. The iron poisoned population had a lifespan 45 years less than the healthy segment; that gap has now

widened to over 50 years. Current lifespan is estimated at 65-70 years for the iron poisoned, copper depleted population. **Many are now dying in their 60s, 50s, 40s (and younger); because the baby boomers were the first to be implanted by parasites via mass vaccination**. The population is undergoing the final stage of extermination.

USDA Food Supply Nutrients Schedule Correlates To Population Reduction Schedule: Compare the Population Extermination, Death Statistics (1900-2009), and USDA Food Supply Nutrient (1909-2005) Schedules. There is an apparent correlation between nutrient additions, the increase of nutrients, decrease in births & birth rate, increasing death rate, increasing disease prevalence. Note that mercury is not specifically listed in the USDA Food Supply Nutrient schedules, but was added to the food/water supply and other sources in greater quantities starting in 1996.

Chemical, biological and radiological poisons work together to generate toxic malformations (proteins) and inflammation, and destroy the vascular system/blood supply, thereby shortening lifespan & killing the host. These poisons have altered and damaged the proteins/DNA of the blood, vascular system and other tissues of the body, with the damage, copper deficiency and iron poisoning passing down through the generations. Starting in 1996, the copper depletion rate was significantly increased and coincides with the onslaught of increased amounts of copper depleted GMO foods (genetically damaged foods),, wireless technology, increasing prevalence of diseases and debilitating symptoms/conditions, weakened immune system, decreasing birth rate, increasing death rate, accelerated aging, and decreasing lifespan.

Vaccines were designed to implant nanoparticle-size parasites, (termed "viruses" – mainly measles), and adjuvant to deplete liver copper. The parasites settle, thrive & replicate in the presence of iron deposits and copper deficiency, and accelerate the destruction process by increasing the synthesis rate of abnormal toxic proteins; the consequences being an increasingly damaged vascular system, defective blood supply, inflammation, secondary bacterial infections, lesions, degeneration, fibrosis, tumors, and **CANCER.**

The purpose of depleting liver copper with vaccine adjuvant: When the body is invaded by pathogens/viruses, copper is mobilized from the liver in order to neutralize/destroy them. Bacteria and viruses transition from the dormant state (time of injection) to the active state of thriving and replicating as iron stores increase and copper status depletes.

The measles vaccine pathogen has been found in diseased colons of patients — iron is taken into the body via ingestion and the gastrointestinal tract, and thus is a location for a greater proportion of iron accumulation. Measles settles in the mucosal linings of tissues/organs and other locations of iron deposits; where loosely bound iron breaks from blood proteins and settles. The parasite ("virus") implanted by the vaccines coupled with the iron deposits accelerates the synthesis rate of abnormal toxic proteins; the consequences being inflammation, secondary bacterial infections, lesions, degeneration, tumors and cancer. The synthesis rate of toxic proteins increases as copper status depletes and iron stores increase, overwhelming the immune system and inevitably causing the demise of the host. Note: The MMR Measles vaccine was initially forced on the population beginning with the baby boomers, those born between 1946 and 1964, and subsequent age groups.

Radiation destroys the body through electrical oscillations that shake or vibrate cells and organisms (particularly the blood)– that is breaking up proteins into nonviable fragments, accelerating iron deposition, resulting in a significantly increased copper requirement. This destruction is apparent in an increasingly defective blood supply & damaged vascular system. (Optimal levels of copper are vital for normal healthy protein synthesis — for building and repairing proteins.) This in turn accelerates the growth of nanoparticle parasites and cell destruction.

Bisphenol-A does chemically what radiation does; that is, it breaks apart the blood proteins into nonviable fragments. Ninety-three percent of Americans test positive for bisphenol-A.More accurately, it is 93.34 %. (About 6.66% of the real population numbers do not carry the poison in their blood.)

Blood pH, Blood Types & Population Reduction:

Sufficient Copper Intake Maintains Neutral Blood pH of 7.00: Copper is essential in the formation of normal healthy proteins, that is, normal amino acid sequences, as it provides a balanced pH state for the blood and tissues, maintaining the proper concentration of hydrogen for forming the bonds in normal protein synthesis. A balanced pH of 7.00 is present in blood type AB, which is the only normal blood type. The average pH of the alkaline blood types (A/O) was **set up to 7.54 in 2005/06** while the pH of the acidic blood type B was set up to about 6.8. Alkaline and acidic blood types are caused by iron, and are dependent on the locations and levels of iron deposits in the body: liver, spleen, brain, glands, bone marrow, kidneys, lungs, colon, heart, etc. As copper depletes, and blood pH deviates further from neutral 7.00 pH level, iron accumulation accelerates and lifespan decreases. According to documentation on metabolic

alkalosis, **mortality rates have been reported as 45% in patients with an arterial blood pH of 7.55 and 80% when the pH was greater than 7.65**. Mortality rates increase in the acidic blood type as well, with significant increases as the pH approaches 6.8. The desired population reduction rate was set up by increasing the pH level of the alkaline blood types to 7.54, while decreasing the pH of the acidic blood type. As of October 2015, the average alkaline blood pH is estimated to have reached 7.60+.

The Rhesus Factor (D-protein) is a probable malformed or variant protein, resulting from insufficient copper levels. Moreover, we were not created with blood incompatibilities that would harm us and our unborn children, as known to occur with an rH negative mother and rH positive fetus, and with blood transfusions. **The blood type AB is balanced and therefore does not carry the malformed Rhesus Factor protein as found in the other blood types, thus, only AB negative blood is possible.**

Current Blood Type/Group Distribution in the U.S.: The previous blood type distribution, disclosed in about 1960 was AB 4%, B 10%, A/O 86%. Now with the copper depletion rate accelerating, the blood type distribution **may approximate** as follows: *AB 6.66%, B: >20%, A/O: <75%. Blood type B prevalence has increased significantly from 1960 until now, and can be observed in diabetes prevalence, which has a high correlation with type B blood. Type AB is the healthy unpoisoned blood type and their numbers can be calculated as follows: *When the poisoned blood types reach 200,000,000 blood type AB will be 6.66 % of the population – 14.27 million. Currently, close to 200 million of the 214 million in the population have iron poisoned blood types of A/B/O. This is written to explain what is spoken through His servant John, "The number of the mounted troops was 200 million, I heard their number." "Calculate their number, for it is 6-6-6", that is 6.66 % of the real population numbers of the U.S.

Blood Type B Prevalence Indicates World Population Closer to 4 Billion: Researching the world blood types distribution, it is apparent from the high prevalence of type B blood (from 1959), that most of the rest of the world, excluding the western nations, has been in the final extermination phase for decades now, and thus, their numbers have been negative population growth. (Prevalence of type B blood increases as the population decreases due to extermination.)

United States Population Closer to 200 Million (as spoken through His servant John)

Use the following time table to refer to the pH Management/Iron Poisoning schedule for the alkaline blood (national average):

Year	pH Avg	Daily Iron(mg)*	Benchmark
pre – 1900	7.38-7.40	***	
1900-1976	7.40	12.5 – 17*	starting in 1900 coronary heart disease has accounted for more deaths
than any other cause or group of causes of death in the United States			
1976-1980	7.43	16.8 – 17.1	set up to 7.43 over five year period; increasing deaths & declining births;
major cardiovascular deaths start slow decline due to initial stage of population reduction			
1980-1995	7.43-7.45**	17.0 – 22.6	steady increase of deaths; steady decrease of births; population numbers peaked between 1980-82
1996-2006	7.54	22.9 – 23.4	target pH set up by 2006; exploding disease prevalence; steady increase in deaths; steady decrease in births; starting in at least 2006 deaths are under-stated
2010	7.57**	45**	daily iron based on Tolerable Upper Level (when symptoms increase or are apparent)
2014	7.57-7.60	45+**	pH based on previous years' rate of increase; daily iron based on Tolerable Upper Level

* Daily iron available on USDA web site from 1909 to 2006. The years 2007 to 2014 are not accessible. Updated in 2014: daily intake up to 2010, but is less than actual intake.
** Average is estimated.
*** Mass iron poisoning began about 500 years ago in the 1500s, evidenced by world population increasing

exponentially in the 1500s. This was due to substantial increase in birth rate/decrease in gestational period. Lifespan and gestational period decrease due to iron poisoning & copper depletion.
The average blood pH in the late 1800's ranged from 7.38-7.40 (19). Approximately during the turn of the 20th century in 1900, there appears to have been a blood pH increase, and may be when the pH was initially increased to 7.40. According to the American Heart Association, since 1900, "coronary heart disease has accounted for more deaths than any other cause or group of causes of death in the United States". About in 1980 the average alkaline blood pH was set up to 7.43, and is the marker for peak U.S. population numbers due to the initial stage of population reduction, (Population Reduction Chart). The set-up to critical 7.43 would have been initiated in about 1976. The 7.43 pH level is adjacent to 7.45, the next life critical level, and would explain the steady increase in total number of deaths and declining births beginning in 1980. (Note: the year 1980 marks the peak population for the national numbers. The increase to the target pH was from 1996 to 2006, **7.54 pH**, adjacent to the next life-critical level of 7.55 pH. This phase of extermination marked the beginning of increasing disease prevalence, and can be researched from national health statistics data. (Critical blood pH levels: "Metabolic Alkalosis" — life critical pH levels)
The Population Reduction Chart data estimates a period of 40 years was used to set up the blood pH to 7.60+; a gradual increase that would go undetected by the population. By October 2015, the annual population reduction rate was about .7%, with death rate of 13-14, and alkaline blood pH of 7.60+. The official population numbers conceal the real numbers, starting between 1976 & 1980, by inflating births. Calculate the approximate population numbers by decreasing 1% each year until about 2010: 100% of 1980, 71% of the official 2009 numbers, 70% of 2010 numbers, etc. After about 2010 the algorithm changes due to a sharp increase in deaths, and as of October 2015, the real numbers are about 67% of the reported numbers of 321,861,401. The U.S. population peaked at about 232 million in 1980-82, and is approaching 215-216 million by 2016. **Death Rate:** Assuming the reported total death numbers may be valid, the death rate as of October 2015 is estimated at 14-15, not the official rate of 8. The number of deaths by age group is fraudulent starting in about 2005; the older age group deaths peaked in 2003, and began phasing out in 2004. The official CDC death numbers for the older age groups continue to rise and as of 2013 are above 825,000 for the 85+ group. This is to conceal the increase in deaths of the under-75 year age groups; and to make it appear lifespan is increasing. Those numbers should be reflected in the younger age groups.

Diabetes and Type B Blood Prevalence Increase as Population Decreases:Diabetes correlates to type B blood: Diabetes was chosen for the purpose of this writing because it correlates to blood type B, thereby making it easier to isolate the type B blood from the alkaline blood types in disease. The diabetic linked blood is the acidic of the blood types; and is known to have an elevated acidity level due to higher iron content. (Diabetes is the only officially recognized disease linked to iron poisoning – "iron overload".) According to documentation, diabetes is associated to a blood pH of approximately **6.8;** the alkaline blood types A&O correspond with the vast majority of the population and a blood pH of **7.4 (currently7.60+)**. (TRUE diabetes correlates to type B blood; artificially "raised blood glucose levels" can be induced by medications.) Diabetic Keto-Acidosis (DKA) occurs when the blood becomes dangerously high in acidity, and is treated with **alkaline** chemicals. Additionally, references indicate that about 20% of African Americans and 10% of Caucasians carry the type B blood in the US, which is why African Americans are at twice the risk of developing diabetes than Caucasians.

Dated documentation indicated two thirds of diabetes cases were diagnosed, and therefore comprised approximately two thirds of the type B blood prevalence when the population was still increasing. However, current reporting indicates diagnosed diabetes correlates to one third of type B blood prevalence; between one & two thirds are undiagnosed — termed "pre-diabetic". This is due to a rapidly increasing death rate and decreasing birth rate. Diabetes prevalence increases with a corresponding increase in type B blood; due to the alkaline blood types of A/O dying off at a higher rate than blood type B. Type B blood appears to have increased from 10% in the 1959 to over 20% now based on diabetes and pre-diabetes prevalence of the population. The accelerated deaths of the alkaline blood types are followed closely by blood type B which is also at an accelerated death rate, all due to iron poisoning and fatal copper deficiency status.

Blood type AB is normal, healthy: Only the death rate of blood type AB is normal with a healthy average lifespan of 120 years. As of 2014, they live over 50 years longer than the poisoned population. They have concealed this by moving multiple times during their lifespan, changing name and date of birth when they move, changing place of birth, adoptions, spelling variations & order of names, multiple marriages, identity switching, changing their appearance, and falsifying documents/records. Because **they age very slowly,** they hide or blur their identity and whereabouts in the beginning decades of their lifespan. They age slowly because they do not have oxidative damage from iron poisoning.

Diabetes Prevalence Graph, Interpretation & Analysis Comments: In 1996 a steady significant increase started in the 45-64 yrs age group, concurrently with 65+ yrs age groups.Prevalence of Diagnosed Diabetes by Age, United States, 1980-2011. The graph is misleading in that the institutionalized population is no longer included in the graph as of 2006*, when the blood pH reached a life-critical level of 7.54. So, assume diabetes prevalence is significantly higher at least in the 65+ age groups in the years 2006 and later, as they would comprise a sizeable portion of the institutionalized population. Even without the institutionalized population, the graph clearly indicates that diabetes prevalence is much greater in the top tier age groups indicating that type B blood has a greater prevalence in these age groups than in the overall population. This does not mean that individuals with the alkaline blood types A and O are changing over to the acidic blood type B, but that many with the alkaline blood types are now dying in their 40s, 50s, and 60's. Although a shortened lifespan, individuals with type B blood have a longer life expectancy on average, than the alkaline blood types. Note that Alzheimer's, kidney disease, liver disease, heart disease, strokes, and amputations are all linked to diabetes, all of which greatly affect quality of life. Lastly, the decreasing lifespan in the alkaline blood types will cause a corresponding increase in the percentage of individuals with type B blood in the overall population, as well as an increase in the percentage of individuals with type AB blood. *(*In October 2008 when CDC added in the year 2006 to the graph, a notice appeared on the web site indicating the institutionalized population is not included.)*

The year 1996 is when the copper depletion rate increased, indicated by increases in diabetes and other disease prevalence, in addition to reduced birth numbers. The year 1996 coincides with the onslaught of High Fructose Corn Syrup which is known to contain mercury, a powerful poison that obliterates copper stores. Mercury is also known to reduce birth numbers,spontaneous abortions, stillbirths, congenital malformations, infertility, and inhibition of ovulation.

Inconsistent reporting: The American Diabetes Association reported in 2011, an estimated *30% of Americans had pre-diabetes or have been diagnosed with diabetes; in 2012 they report a total of 29.1 million or *9.3%. This may indicate the percentage of type B blood in the overall population has risen from 10% in 1959 to well over 20%, with much of the increase occurring from 1996 to present. Also, according to the source, American Indian, African American and Hispanic/Latino have an increased risk of developing diabetes. This is because these groups started out with a greater degree of copper deficiency & **iron poisoning** and thus, a greater percentage of type B blood than Caucasians. — Note this is why these groups **had**a higher death rate and/or shorter lifespan than Caucasians. However, Caucasians

have now caught up to the other groups, starting in 2006, when the pH level of the alkaline blood types reached **7.54, thus accelerating iron accumulation**. (see: pH chart) Of all the groups in the U.S., American Indians appear to be the most decimated, as evidenced by the high rate of diabetes and short lifespan among some tribes, such as the **Lakotah Nation**. (* Reliability of data is undetermined, due to inconsistency in reporting.)

Evidence of Lower Than Reported Birth Numbers:
According to reports released in February 2007 and April 2009 , fetal deaths number about 1 million per year in the United States. The number of fetal and infant deaths to the number of actual births plus fetal deaths, reveal **40% of children die within the womb or outside the womb within a year after birth**. This is strong evidence that births are in decline; the official birth numbers are inflated to conceal this. National sources report fetal deaths of 20 weeks or more of gestation which account for only about 25,000 of the 1 million fetal deaths. Birth estimates by year can be found here: This chart approximates the population reduction schedule and estimates birth numbers based on death numbers and yearly population decreases.

Decreasing Gestational Age at Birth: Gestational age has decreased significantly between 1990 and 2005, Births By Gestational Age in the United States. A significant decrease is indicated from 40+ weeks and a significant increase is seen in the 37-39 weeks of gestation. The gestational period is decreasing due to increased amounts of iron and an increasingly severe copper deficiency being passed on to the fetus. A shorter gestational life does NOT indicate a normal healthy birth rate, and is an additional indicator that births are decreasing. A normal healthy gestational period in humans without iron poisoning and copper deficiency is estimated to be about 52 weeks — one year. (Note that reported gestational period is calculated based on "first day of Last Menstrual Period", so actual gestational period is 1 to 2 weeks less than reported.) The healthy blood type AB has the longest gestational period, therefore the lowest birth rate, when the rest of the population is still increasing.

Age Distribution: The inflated birth numbers obfuscate birth decline, decreasing lifespan, increasing death rate, negative population growth. The low birth numbers shift the age distribution by decreasing the percentage of the lower age groups. As of 2014, approximately 12.5 % are <15 years of age; while the 65+ year age groups comprise about 12% of the real population numbers. In 1980 the <15 year age group was 24% which was twice the 65+ year group of about 11 % of the population. Now, in 2014, the <15 year and 65+ year age groups are approximately equal. When

there are as many elderly people living as there are young people, it creates the illusion that a population is living longer, when in fact lifespan is decreasing. Note, just as gestational life decreases, so does lifespan outside the womb. Additionally, disease prevalence indicates a significant and steady increase, particularly since 1996, when the copper depletion rate was accelerated. Exploding disease prevalence is not indicative of a healthier longer living population, but of a population going into extinction – methodical extermination. The manipulated age distribution and inflated birth and population numbers are masking the true status of the health of the nation.

The U.S. Government implemented the Immigration Act of 1996, coinciding with the year of accelerated copper depletion, and ahead of **anticipated greater birth declines** caused by the increase of mercury and iron. A primary intent of this legislation apparently is to prop up student enrollment numbers using external populations to obfuscate the true numbers. Although, these populations are not counted as the total number of the resident population, their numbers are used to artificially inflate the under-18 year age groups. Additionally, apparently to fill in where "enrollment has declined", three and four year olds are now attending school and are counted in total enrollment.

Historical World Population Growth Rate Correlates to Initiation of Mass Poisoning: World population increased exponentially starting in the 1500's, and is a good indicator of the birth rate increasing significantly due to a decrease in gestational period. Thus, it was about in the 1500's that mass iron poisoning began.

Decreasing Lifespan/Increasing Death Rate: The 85+ year age group numbers peaked in 2003 and began phasing out in 2004, and many are now dying in their 60s, 50s & 40s. The official numbers show the 85+ numbers increasing significantly starting in 2005, to conceal the phasing out of this age group and to make it appear lifespan is increasing. The lower age group deaths are now increasing significantly, although the official numbers show little change.

The illusion of increasing lifespan: As death rate increases, the 85+ age group deaths increase, thereby increasing the average age at death*; making it appear lifespan is increasing,

but only temporarily until phasing out significantly.

Death trends by age groups can be observed in the death statistics for Blacks and American Indians, who are further along in the extermination schedule, and may have reached the life-critical iron levels & copper status before the 1980's. This explains why American Indians and Blacks had historically a shorter average lifespan. **All groups** are now undergoing the final phase of extermination, with the average lifespan estimated (conservative) at 70 years, a decrease of 5 years in approximately 9-10 years time.

As mentioned previously, the lower age groups of particularly the 40-64 years have increased significantly in the current stage of extermination: Reporting by national sources in October 2008, Baby Boomer Deaths Could Fuel Funeral Industry, indicated that many of the baby boomers, born between the years 1946 – 1964, are scheduled for extermination in the decade, 2009 – 2018. (Note that **MMR Measles vaccine** parasite implantation began with this age group.) The article also indicates the overall average national death rate is expected to increase from 8.1 to 10.9. Since the report is using understated death rates, the actual death rate could be expected to reach well beyond 15. The death rate appears to have steadily increased since 1980 and as of December 2013, is estimated to be 15. — data in this chart are estimations only. These are indicators that not only is the population not increasing in numbers as we have been led to believe, but is in fact decreasing. (Note: death rates and death numbers by age group for 2005 and later are fraudulent.)

***The 45+ age group is used in calculating the average age at death due to chronic iron poisoning:** to exclude infant deaths, most external causes of death that typically occur under the age of 45, and deaths due to acute virulent disease. (Note that official reported death numbers by age group starting in 2005 are invalid — fraudulent.)

Death numbers for the 0-44 yr age groups are high in the first and mid part of the 20th century due to a much higher birth rate & infant mortality rate, and acute virulent disease; resulting in a much higher death rate for the overall population. Although inhalation and body fluids may account for some transmission, it is likely disease causing parasites ("viruses") were propagated through the food and water supply. Just as the chemical poisons have been carefully managed, so have the biological poisons. Disease manifested in the population on a mass scale ahead of and in preparation for the vaccine fraud. Although infant deaths were much higher in earlier years, as of February 2007 reporting, the fetal deaths number about 1 million per year. Note that 2006 was the year the blood pH reached a life-critical 7.54.

Factors for deaths across a wide spectrum of age groups (excluding external causes): variable individual copper depletion and iron accumulation rate, immunizations, copper status of ancestors upon settlement in the U.S. traced to area and country of origin, and different population reduction (**poisoning**) schedules by area and state in the U.S.. The initial poisoning apparently started before colonization began (and "evolution theory" fraud evolved) and traces back to the country or area of origin.

The Global Warming/Climate Change Fraud: When copper deficient, the body attempts to counter the rising blood oxygen levels that iron attracts; by retention of carbon dioxide (CO2). It is not the **Global Warming** fraud, an increase of carbon dioxide in the environment that is causing humans to die off. The fraudulent global warming science or climate change science explains that the elevated CO2 level in blood is caused by increasing CO2 levels in the atmosphere/environment particularly in the last 50 years. This is used for evidence the carbon cycle is causing the alkaline blood types O and A to go into extinction first, followed by blood type B.

The last disclosure of blood type distribution was about 50 years ago, when the alkaline blood types were at a higher prevalence and the acidic blood type B was at a lower prevalence in populations. The upcoming disclosure of blood type distribution reveals decreasing blood types A/O prevalence and increasing type B prevalence will prove that CO2 levels are rising. (See above section on current blood type distribution in the United States.) In truth this is evidence populations are dying off, have been in negative population growth, with much of the world in the final extermination phase for decades now. Like the United States, these western nations' populations peaked in about 1980, +/- few years, depending on current death rate and type B blood prevalence. The remaining blood type AB, the only normal healthy blood, will be the ones to survive; hence — survival of the fittest.

Blood Type History & Theory of Evolution Frauds: In 1900, it was noted that the sera of some individuals led to the discovery of ABO blood types. (1) Essentially, noted a distinct difference in viscosity/pH level or the clotting factors of blood. Later on the blood type AB was "discovered". Subsequently, in 1940, the "Rhesus Factor" (D-Protein) was detected. In truth, there is only one blood type among humans, and that is type AB. Anything else is a mutation due to copper deficiency and iron poisoning.

As each generation has been iron poisoned and deprived of copper, the mutated genes/proteins have become weaker. These mutations of the blood and other structures that have manifested over the generations, is used as supporting

evidence for the fraudulent Evolution Theory. The mutated blood types of A, B, and O and the presence of the Rhesus Factor are used to establish a lineage/correlation of the vast majority of the human population to man-apes. This correlation does not exist, since humans are created solely with blood type AB, and man-apes do not carry this blood type.

Blood types and DNA are used to establish fraudulent migratory patterns of different populations around the world. The higher the percentage of type B blood in a given population correlates to a more severe copper deficiency in that population. This is because the type B blood has a longer lifespan on average than the alkaline blood types of A and O. In other words the alkaline blood types are dying off quicker than the blood type B, and in fact are in the process of moving toward extinction, followed closely by blood type B; all because of copper deficiency & iron poisoning. It should be mentioned here that according to **(2)**, in **1959** 20% of Black Americans had type B blood and Caucasians had 10% type B, different severity levels of copper deficiency & iron poisoning, indicating that Blacks were **copper deficient & iron poisoned** before being brought over on slave ships. (One last note is, there were a small number of populations that contain only alkaline blood types, but these populations may have been manipulated by intentional extraction of the type B blood to fit the fraudulent theory.)

We were all created with type AB blood, with normal viscosity/balanced pH level with normal healthy protein structures. Through a misinformation campaign the official history is that blood type AB is the newest and rarest, emerging 500-1000 years ago, while blood type O is the oldest. It is interesting to note that the Shroud of Turin, the suspected burial cloth of Jesus, has blood type AB negative. The cloth has been dated to about the first century AD, and as of yet has not been disproved. The truth is, blood type AB has always existed. The other mutated blood types appeared on a mass scale about 500 years ago when the poisoning began.

Vaccination Fraud: vaccines were developed under the cover (lie) they will protect from harmful viruses and bacteria, and were never needed and are another fraud perpetrated on the people. (Read "Principles of Vaccination" and learn how the fraud evolved.) Harmful viruses and bacteria thrive and replicate in the blood types A, B & O, which have blood pH that has deviated away from a neutral pH of 7.00. An unbalanced blood pH inhibits normal activation and function of the enzymes required to fight off harmful viruses and bacteria. Enzymes are made up of proteins and if any are missing or malformed due to copper deficiency, they do not activate and function at normal levels. A neutral blood pH of 7.00 destroys/removes (neutralizes) harmful bacteria and viruses because the enzymes activate and function at normal

healthy levels due to optimal levels of copper, providing proper concentration of hydrogen to form the protein bonds. Thus, the blood type AB is the normal healthy blood type with a neutral pH of 7.00 and has healthy immune function, and normal DNA. **(Note: The blood types of A, B & O have plenty of iron; THE nutrient for ALL pathogens.)**

Vaccination is in fact the most effective and efficient method to transport poisons more directly into the liver, to displace and deplete copper from that location. The liver is where many of the proteins are synthesized and is where the greatest percentage of copper is stored. Copper is vital in protein synthesis. Mercury, contained in most vaccines, settles and accumulates in the liver and obliterates this vital store of copper. Consequently, severe disruption/impairment of protein synthesis follows, resulting in increasingly severe DNA damage, and symptoms and conditions, & ultimately death.

COPPER INFORMATION

Copper Functions as the Primary Antioxidant: Copper maintains mineral balance, thus a balanced pH with normal blood viscosity, by functioning as the primary antioxidant in the body. **(Copper mobilizes the oxidant IRON out of the body.)** When the blood is of normal viscosity with optimal blood flow, the blood is able to rid the body of toxic metals — iron, chemicals, and any overload of other minerals, (and harmful bacteria and viruses), thereby retaining and balancing out the nutrient minerals. It has been documented that a "decrease in antioxidant protection caused by copper deficiency goes beyond a decrease in the activity of copper-dependent enzymes by inducing a wide range of disturbances in the other enzyme systems. (4)**" This is because copper provides a balanced neutral pH of 7.00 that is required by these enzyme systems in order to activate and function at normal levels. Enzymes are made up of proteins and if any are missing or malformed due to copper deficiency, they do not activate and function at normal levels.** These other enzyme systems are involved in the formation of bone and connective tissue, immune system, cardiovascular and heart, brain, liver, blood vessels, pigmentation, collagen and elastin, blood clotting factors, all the glandular systems, and many others. (4) Thus, it can be stated with certainty that copper is the single most important nutrient in the body. This is why copper is the target for deprivation and depletion.

"The ability of copper to easily accept and donate electrons explains its important role in oxidation-reduction (redox) reactions and the scavenging of free radicals." (copper info site)

Restated, copper deficiency causes a complete breakdown of the blood's ability to eliminate iron from the body. Loosely bound iron breaks off from the blood proteins and accumulates in various locations of the body, which then acidify those locations causing serious life threatening disease states such as cancer, cardiovascular disease, diabetes, obesity, inflammation, immune deficiencies, neurological dysfunction, tissue and organ destruction, and many other diseases and symptoms, and an early death.

IRON INFORMATION

Iron is the PRIMARY poison: Iron accumulation coupled with parasites is particularly destructive and symptoms/conditions include but are not limited to**:** inflammation, Crohn's, colon and other cancers, diabetes, destruction of the pancreas, liver disease/destruction thereof, cirrhosis, heart failure/disease, destruction of the heart muscle, arrhythmias, palpitation, pulmonary diseases, anemias, fibrosis, skin pigmentation abnormalities, stomach, endocrine glands, adrenal insufficiency, physical weakness, "feminization" of males, and always — an early death.

"Iron is essential for oxygen transport in the blood": Iron attracts oxygen, thereby causing free radicals, and facilitating the growth of parasites; subsequently stimulating the growth of tumors, cancers and bacteria.

"Iron Deficiency Anemia (IDA)": IDA is characterized as abnormal size/count of blood cells, accompanied by low blood iron levels. IDA is often described as being secondary to copper deficiency as well as to another concurrent disease or condition. Documentation also indicates that copper is needed to mobilize iron from deposit ("storage") sites into the blood. (This is where the copper deficiency comes in.) So, sub-optimal levels of copper will mobilize some iron from deposit locations into the blood; however, will not be enough to excrete the iron. If optimal healthy levels of copper are taken in and maintained in the diet, **ALL** the iron would be mobilized out of deposits, neutralized and excreted from the body. At the same time copper would replace the iron in the blood and tissue proteins, build normal blood cells to healthy levels, and neutralize the blood pH to 7.00.

The symptoms associated to IDA are indications of copper deficiency. Iron deposits in the bone marrow and liver interfere with protein synthesis – missing and malformed proteins are a sign of copper deficiency.

All the iron has been made bio-available, so there is no iron deficiency; the problem is iron metabolism because it is not required by the body.

All pathogens **do require** iron to thrive and replicate; that is why diabetes, cancer and virtually ALL other disease prevalence is soaring.

Women live longer on average than men due to some iron excretion: Males accumulate iron more rapidly than females due to the slightly more excretion of iron by females through menstruation and child bearing (Average: 25mg and 500mg, respectively). This explains why males have a shorter lifespan on average than females, and why females develop more severe symptoms after menopause. The total iron excretion due to menstruation and childbearing during a lifetime is estimated to be about 15 grams. Thus, men of the same age as postmenopausal women have on average five years less of lifespan due to an estimated additional 15 grams of iron **accumulation**. (Note that this is just a small fraction of the total lifetime accumulation of iron.)

Bound & Unbound Iron: When iron is in abundance and copper is deficient, iron is present as bound or unbound form. Loosely bound iron has taken the place of copper in the blood proteins and in accumulation of tissue & organs. The accumulation of iron in organs and tissues is referred to as hemosiderin, and is explained as "storage iron". Strongly bound iron is found in abnormal toxic proteins such as bacteria, cancers & tumors; iron facilitates the growth of tissue and organ destroying proteins. Due to decreased levels of copper antioxidant activity, only extremely small amounts of bound/unbound iron can be mobilized from "storage" and blood, and subsequently neutralized/excreted from the body. Thus, iron CANNOT be removed from the body with concurrent copper deficiency. Copper must be replenished to replace the iron, retain & balance the NUTRIENT minerals, and restore health and longevity.

Destructive metals accumulate due to an unbalanced blood pH, severely diminished anti-oxidant protection caused by copper deficiency, and the intentional addition of iron and other toxic metals, and iron absorption facilitators, to the entire food and water supply. It appears the agenda was to deplete copper down to predetermined levels at specified periods in time. Subsequently, the accelerated copper depletion schedule occurred from 1996 to 2006, when the pH reached 7.54. The current levels of copper obliterate the body's mechanism for healing, building, and repairing DNA

damage — that is normalizing body tissues, blood, organs, etc, to a healthy status. Now iron and other toxic metals are accumulating at an accelerated rate, thus expediting the extermination of the population.

Note: contrary to reports, alkalizing the blood and body will not cure the problem, and will only deplete more copper and move the pH further away from 7.00. The solution is neutralizing the pH (7.00) by balancing the nutrient minerals. The mineral that provides this function is copper. Thus, the solution is to replenish copper and remove copper depleting poisons and iron from the food and water supply, and cease vaccines.

The Myth of Disease: **(4,5)** In their multitudes of scholarly medical works there is virtually always mention of missing and variant proteins in regards to different diseases. Parasites coupled with copper deficiency and iron poisoning cause variant malformed, missing, damaged DNA/proteins, and are responsible for virtually EVERY "disease" and symptom manifesting now, accelerating aging and death. Parkinson's, Alzheimer's, MS, mental depression, diabetes, autism, other neurological diseases, ADD, ADHD, pancreatic & digestive problems, inflammation, inflammatory diseases, obesity, bleeding disorders, anemia, low hormone production, levels of bad (malformed) hormones/proteins, bad (malformed) cholesterol, hypothyroidism, hyperthyroidism, hypo-adrenalism, hyper-adrenalism, cystic fibrosis, many other birth defects, congenital malformations, infant and fetal deaths, cancer, bone & muscle degenerative conditions, shortened lifespan, heart/cardiovascular disease, heart attack, stroke, allergies, respiratory illness, C.O.P.D., bronchitis, asthma, emphysema, kidney disease, liver disease, hearing and visual problems, and the list goes on. These things happen gradually over time, so we do not suspect we are slowly being poisoned. (**10** for neurological diseases being caused by copper deficiency – brain destroying parasites.)

"Man's days will be 120 years."

"Never again will an infant live but a few days."

Meanwhile, many people are dying and suffering needlessly, because they are copper deficient and iron poisoned. Amputations, disembowelments, open-heart surgery, radiation & chemo "therapies", and countless other unnecessary procedures and medications are being administered. Families, loved ones, and friends are dying and suffering all around us, and our ancestors were killed in the same manner.

"**How long, Sovereign Lord, holy and true, until you judge the inhabitants of the earth and avenge our blood? ..They were told to wait a little longer, until the number of their fellow servants and brothers who were to be killed as they had been was completed.- – 200 million is reached"**

Blood type is nothing more than the prevalence of iron poisoning & copper deficiency in the vast majority of the population. The blood type AB have survived through this, indicating that some areas of the world and/or some groups have been excluded from the poisons or have the remedy — the poisoners themselves.

"Survival of the Fittest" = Survival of the Unpoisoned

COPPER MISINFORMATION

Copper toxicity caused by copper overload: The copper overload disease or "copper toxicity syndrome" is caused by copper deficiency. This phenomenon is characterized by the presence of **bio-unavailable** copper accompanied by a lack of circulating ceruloplasmin, a copper transport protein. Due to the bio-unavailability of much of the copper, the body cannot accomplish the tasks of building, repairing, and healing to normal levels, resulting in symptoms and disease states. This phenomenon further emphasizes the importance of copper's function in the body. However, based on the bio-unavailable copper, this phenomenon is routinely erroneously described as the presence of toxic levels of copper, when in fact it should be described as diminished levels of ceruloplasmin **due to bio-available copper deficiency**. Copper in its natural, **untampered with, bio-available** form is essentially non-toxic and any excess is readily excreted from the body.

Copper pennies, water pipes & bracelets replace copper: Man-made alloys such as **copper pennies**, **water pipes & bracelets** do not contain bio-available copper and therefore do NOT replenish copper. The idea of using copper water pipes/lines was concocted to provide a link or explanation for the "copper toxicity syndrome" fraud. This is apparent in fraudulent documentation that routinely mentions copper water pipes/lines in conjunction with "copper toxicity syndrome".

Hair analysis shows copper toxicity: Hair analysis results have been used to erroneously identify "copper toxicity". Hair analysis reveals what is being excreted out of the body. The copper in hair analysis can show varying levels of copper output depending on an individual's release of copper (individual biological response to disease states) and the

types and amounts of copper depleting poisons that are being taken into the body. Regardless of the copper level output in a hair analysis, a presence of **mineral imbalance indicates copper deficiency**. Sufficient copper levels are essential in neutralizing the blood pH, by removing iron and retaining and balancing the nutrient minerals.

"Copper Rich" foods are plentiful & "Copper deficiency is rare": Though they claim the populace gets plenty of "copper rich" foods, these same foods are known to be rich in sulfur and iron, (Foods Rich in Sulfur)**.** Sulfur binds with copper and removes it from the body, thereby depleting copper status. Note: with the huge selection of foods out there one should consider and question if we have been deceived/programmed into consuming things that were never intended for human consumption — things that are and always have been toxic to humans.

Recommended Daily Allowance (RDA): the RDA for iron is ZERO, while copper has been grossly understated. All the emphasis has been on how vital iron is and how toxic copper is to the body.

Copper Depleting Poisons: If the food and water supply was untainted, we would not be copper deficient. The main toxin/metal that competes with copper in the body is iron. ALLthe food now contains an abundance of iron and iron uptake facilitators that deplete copper status, thereby, replacing copper in the blood and tissues/organs. When copper is not restored during a lifetime, the iron poisoning and accompanying copper deficiency passes down through the generations. The Recommended Daily Allowance (RDA) and Food Pyramid schemes are fraudulent. The requirement for iron is zero while the requirement for copper is grossly understated.

Mercury: A popular ingredient added to **MANY** foods and beverages is **corn syrup**, which contains **mercury**, and is specifically known to deplete copper from the body, and has been positively associated to diabetes prevalence and heart failure, as well as reducing births. (13 & 14)

Supplements: Even "nutritional" supplements are loaded with copper depleting poisons. Note that some are stacked with vitamins, which are not required for supplementation, since the body produces its own. Vitamins deplete copper by facilitating the uptake of iron. One cannot get a copper supplement to boost levels of copper; they have ALL been prepared with other chemicals that negate the copper, or bind the copper to another chemical thereby making it bio-unavailable.

Genetically Damaged ("genetically modified") foods: GMO foods have been around for centuries, referred to as selective breeding, horticulture, and other names. The intent of GMO is to shorten our lifespan by depriving and depleting us of the mineral copper while facilitating and accelerating iron accumulation. Genetically damaged beef: the "Mad Cow" disease that is widespread is from copper deficiency, (10), and illustrates how the entire food chain has been tampered with and depleted of copper. Genetically damaged plant based foods have been modified to increase the iron content or to remove/deactivate the iron uptake inhibitors that were naturally found in the food. Poisoned soils negate/decrease copper availability/uptake, inducing genetic damage to the plant. **Plant foods that do not get sufficient copper uptake are genetically damaged.** See this page for links regarding genetically damaged foods and iron content. The iron poisoning and accompanied copper deficiency has been ongoing for centuries, starting before colonization began, traced by blood type distribution to country and area of origin, the advent of GMO foods, and significant birth rate increase in the 1500's. (Gestational period decreases as iron poisoning and copper deficiency passes on to the fetus, thereby increasing birth rate.)

Vaccines are loaded with toxins, particularly **mercury**, that depletes copper from the body, and **pathogens** that require iron. The mercury specifically targets the liver, where the greatest percentage (~10%) of the body's copper is stored and much of the protein synthesis takes place. Mercury is contained in many if not most vaccines, in addition to food and food chain. The primary accumulation points in the body for mercury are the brain and liver, displacing and depleting copper in those locations, causing massive DNA damage, by disrupting normal protein synthesis. Mercury is very effective and fast-acting in depleting copper, and is apparently a predominant poison in use, as it is contained in a wide variety of sources. The sources include but are not limited to: food, food chain, soft drinks, cereals, cereal bars, teas, soups, sauces, juices, fish, milk/milk products, creams/lotions, toys, jewelry, water, nasal sprays, make-up, lighting, television, computer screens, cell phones, iPods, vaccines, thermometers, batteries, etc. The electronic devices emit toxic mercury vapors, with at least 80% absorption into the blood stream when inhaled. Vaccines were developed to ensure maximum absorption of mercury by transporting directly into the blood stream, thereby by-passing the gut (gastrointestinal tract) where very little is absorbed. **Squalene,** another vaccine ingredient, comes from the liver of sharks. Sharks are at the top of the fish food chain and contain the highest levels of mercury. **(17)** **Pathogens** in vaccines are "dormant" when they are initially planted in the body, but thrive and replicate when the body stores of copper deplete and iron stores increase. This explains the delayed effects or symptoms from vaccines.

The Anthrax Vaccine that has been mandated on military members contains the Anthrax pathogen, which attacks virtually EVERY organ & tissue of the body**.** The affected organs/areas of the body correlate to the amounts and locations of iron deposits, and copper status. The Anthrax pathogen is deadly, as it apparently has a high survivability and replication rate in the presence of sufficient iron stores and copper deficiency. When they inject the pathogen, they claim it is dead, but it is only dormant at the time of injection. The adjuvant that is added to the vaccine is to deplete liver copper. Squalene adjuvant comes from the liver of sharks, and sharks are at the top of the fish food chain and contain the highest levels of mercury. Mercury quickly and effectively depletes copper from the body, particularly the liver, where much of copper is stored. When the body is invaded by foreign proteins or parasites ("viruses"), copper is quickly mobilized from the liver in order to neutralize, destroy and remove them. The quick depletion of copper from the liver concurrent with parasite/pathogen planting, which is intended by the vaccine, triggers accelerated iron mobilization & accumulation, resulting in immediate or delayed symptoms and ultimately death. Anthrax thrives and replicates very quickly when there are increased iron stores and iron mobilization, and depleted liver copper stores — the Anthrax pathogen has an affinity for iron.

What is said about the Anthrax vaccine is the same for the other vaccines. They contain pathogens and mercury or another potent copper depleting chemical. Restated, they contain harmful parasites or proteins and an "adjuvant" to expedite copper depletion from the liver. When liver copper is depleted, so is the body's defense mechanism against pathogens.

Radiation is a potent accelerator of iron accumulation and expedites the growth of toxic proteins and viruses, particularly those implanted by the vaccines. Radiation is extremely damaging to the body because it breaks apart the blood proteins, causing vascular damage & accelerating iron deposition. This is how radiation, in addition to other poisons, compromises the blood-brain barrier, by inducing injury to the cerebrovascular system. Copper maintains a balanced pH of 7.00, providing the proper concentration of hydrogen for protein bonds and neutralizing/removing iron. Therefore, since 95% of the population is already severely deficient in copper and iron poisoned, radiation will quickly deplete what copper is remaining resulting in severe symptoms and subsequent death. In other words, radiation expedites the onset of all the "diseases" and symptoms mentioned previously. Some additional more subtle signs of radiation poisoning (expedited iron deposition): headaches, dizziness, heart palpitations, (any abnormal heart beat),

nausea, digestive disturbances, bowel problems, inability to stay asleep, hair loss, loss of pigmentation in hair, any signs of increased or accelerated aging, joint pains, vision and hearing problems, ringing in the ears, irritability, reduced ability to concentrate, short term memory loss, tingling/tightening of the scalp and other parts of the body, dry or brittle skin/hair, increased severity of pre-existing symptoms or disease.

Sources of radiation: **Nuclear reactors** (positioned in densely populated areas), **WI-FI** (wireless internet), computers, home security systems, printers, wireless CPU cards, wireless USB modems, wireless routers, airport scanners, television, high power lines, depleted uranium, cell phones, cell towers, mammograms, and other sources of man-made radiation. **Cell tower coverage** now extends to virtually the entire land mass of the U.S., and other countries. Additionally, WI-FI is installed everywhere now, fast food restaurants,campgrounds, schools, businesses, nursing homes/assisted living centers, overnight accommodations, libraries, universities, airports, flights, and many other places. Tenants unaware of the radiation dangers install wireless devices in most if not all apartment complexes, and if only one tenant gets wireless (WI-FI), everyone else in the building is getting exposed, because the waves travel up to 300 feet (and greater depending on equipment) in all directions. The frequency range for WI-FI encompasses the frequency used by microwave ovens.

The wireless industry is not providing warnings on the dangers of radiation exposure and claim to have no knowledge of these dangers, although there is vast evidence and information to the contrary. Radiation Poisoning of America, RF heating of body tissues and possible DNA alteration (mutation) happens to 100% of the people exposed to RF

The Poisoners & Population Reduction: How did they manage to pull off such a successful, massive poisoning campaign, and deceive everyone on the different blood types and diseases They are one entity coordinating & cooperating with many, they possess great wealth, and they have many fronts. They own/control the entire food & water supply, everything that manufactures poisons, and they have a monopoly on the pharmaceutical and wireless industry, and in writing the science and text books. By stealth they successfully add the poisons into the food and water supply, because they control every level and function of our government every agency, organization, the administration, congress, house, all the political parties, FDA, AMA, CDC, USDA, FCC, "**naturopathic" and "alternative" health care community**, research institutions and foundations, and the list goes on. They have agents and fronts to control us and control what goes into our food and food chain. It's all about control, greed, keeping our minds weak, and decreasing

our lifespan. This is how they have been accomplishing their goal of population reduction. It's about secretly decreasing the population below 200 million – they think by doing so they can change the set times and beat their**MAKER**.

This is the <u>abomination that causes desolation</u> (depopulation) spoken of through the prophet Daniel.

Their fronts, agencies, and corporations benefit and profit greatly from what they do. Yes, they are all connected that is why they are successful in what they do. Through taxation we pay these people who allegedly represent us, and who give their authority to all these fronts to approve the poisons, without the consent or knowledge of the people. The Constitution does not give authority to our government representatives to lie to us and deceive us, nor does it give authority to the government to act without the consent of the people. The government is supposed to be looking out for the best interests of the people it represents. When this is no longer the case, as we now know, the government ceases to be the rightful, legitimate government, and as such it is time to abolish the **<u>entire</u>** government.

The poisoners are playing God. They rebel against God and everything that is God and truth. They hate God and they hate the Christ. They are of that line that we've been warned against time and time again, they are of the line that was disinherited 2000 years ago. They do not worship the One and Only True God, our Father in Heaven. They worship that which is evil — demons, idols, and earthly material things. They are anti-Christ they are many. They are not of the line that authored the books of the Bible. If they were of this line they would adhere to and live by the laws and writings of His servants and the prophets, and would be Christian Jews today. But these Jews are not Christian Jews because they had no hand in writing the Word. **(Though, they have tampered with some of the books in order to fulfill their agenda.)** In defiance of God they authored their own self fulfilling laws and rituals as found in their books of **Talmud** and **Kabala**, those books that go back to an ancient place and time to **Babylon**. Today they are known as **Illuminati**, **Elite**, proponents of their **New World Order**, and other **secret sects** and **secret societies**. These secret groups derive their workings, rituals, symbolism, and traditions from the **Talmud** and **Kabala**. They work in secrecy, for the people will be repulsed and angry at what they do. They are liars, murderers, thieves, deceivers, and they destroy the earth and mankind.

They Proclaim To Be God: Remember what you have been told in generations past, for the time has come and the lawless ones have now been revealed. They exalt themselves over everything that is called God or is worshiped, and they set themselves up in God's temple proclaiming to be God, by claiming to be direct descendents of God through the

blood — the blood of Jesus Christ. The blood type found on the Shroud of Turin, the suspected burial cloth of Jesus, is blood type AB, which "matches" the poisoners blood type, and thus, their DNA. Everyone else with blood types of A, B, and O have damaged DNA/proteins . (We were ALL created with blood type AB negative with normal healthy protein/DNA properties; their poisons have mutated us into the other "blood types".) This is how they proclaim to be God, the "Chosen Ones" and the 144,000, by their blood type/DNA matching that found on the Shroud of Turin. They try to change the set times in their favor. Through their secret groups, they perpetuate the blasphemous story of the bloodline of Christ. Their claim is that Jesus fathered a child/children and their ancestors became royalty in Europe and the bloodline now has many descendants. They also claim that everyone else who does not have blood type AB evolved from man-apes ("prehistoric man"), and were not created by God, since the man-apes only have the other major blood types of A, B, and O. This is to glorify themselves and exalt themselves above God and all of creation.

So, be watchful for those playing God, performing staged counterfeit miraculous healings, by selectively administering the remedy — copper.

They proclaim themselves to be God (and Goddess), and His Christ, the chosen ones to rule over the earth. Their fronts, their rulers of countries, and their representatives and officials, gather together in corroboration, even the "church" is in submission. Together they perform counterfeit miraculous signs and wonders, in order to deceive the world and to bring in their "New World Order". Now their time has come. Their day has come, the time for them to be punished. Through the power and authority of the Lord our God, it is time to destroy the destroyers.

/https://ijtx.wordpress.com/iron-poisoning-copper-deficiency